


DIN 15018



Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - График грузоподъёмности



- ① Pluma maxima - Portée maxi - Sbraccio massimo - Maximum jib - Max. Ausleger
- ② Pluma min. en servicio - Portée min. in service - Minimum jib (in service) - Sbraccio min. in servizio - Mindest. Ausleger in Betrieb
- ③ Pluma min. fuera de servicio - Portée min. hors service - Minimum jib (out of service) - Sbraccio min. fuori servizio - Mindest. Ausleger ausser Betrieb
- H Altura torre - Hauteur mat - Tower height - Altezza torre - Turmhöhe

60 m		10	15	20	25	28,9	30	35	40	45	50	55	60	m	
		8000	8000	8000	8000	8000	7980	8240	4980	3970	3180	2540	2000	Kg	
		10	15	20	25	28,9	30	35	40	45	50	55	60	m	
		8000	8000	8000	8000	8000	7550	5890	4680	3700	2940	2320	1800	Kg	
55 m		10	15	20	25	30	31,5	35	40	45	50	55	m		
		8000	8000	8000	8000	8000	8000	8840	5520	4500	3690	3000	Kg		
		10	15	20	25	30	30,6	35	40	45	50	55	m		
		8000	8000	8000	8000	8000	8000	8520	5240	4250	3480	2800	Kg		
50 m		10	15	20	25	30	30,8	35	40	45	50	m			
		8000	8000	8000	8000	8000	8000	8590	5310	4320	3600	Kg			
		10	15	20	25	30	22,6	25	30	35	40	45	50	m	
		12000	12000	12000	12000	10440	8010	6290	5010	4020	3200	Kg			
45 m		10	15	20	25	30	33,4	35	40	45	m				
		8000	8000	8000	8000	8000	8000	7470	6120	5000	Kg				
		10	15	20	25	30	32,6	35	40	45	m				
		8000	8000	8000	8000	8000	8000	7210	5890	4800	Kg				
40 m		10	15	20	25	30	33,9	35	40	m					
		8000	8000	8000	8000	8000	8000	8000	6200	Kg					
		10	15	20	25	30	24,6	25	30	35	40	m			
		12000	12000	12000	12000	11750	9170	7350	5900	Kg					
35 m		10	15	18	20	25	30	35	m						
		8000	8000	8000	8000	8000	8000	8000	Kg						
		10	15	18	20	25	30	35	m						
		8000	8000	8000	8000	8000	8000	8000	Kg						
30 m		10	15	20	25	30	21,9	25	30	m					
		12000	12000	12000	12000	10110	7700	Kg							
		10	15	17,4	20	25	30	m							
		16000	16000	16000	13470	10110	7700	Kg							


Mecanismos - Mechanisms - Antriebe - Mécanismes - Meccanismi - Приводы

90 Hp (67Kw)-INV							
	m/min	0-39,8	0-120	0-159	0-26,5	0-80	0-106
	Kg	8000	2300	1450	12000	3450	2150
	Kw	67	67	67	67	67	67
	m/min	0-19,9	0-60	0-79	0-19,9	0-60	0-79
	Kg	16000	4600	2900	16000	4600	2900
	Kw	67	67	67	67	67	67
	1.7 min. de 15° a 85° 1.7 minutes from 15° to 85°						
	Kw	67					
	r.p.m	0-0,72					
	Kw	2 x 10,8					
	m/min	0-24					
	Kw	2 x 10,8					
	2000/14/CEE 2006/95/CEE	2006/95 /CEE		400 V 50 Hz 60 Hz		100m 4x95mm ²	


450 kVA	150 kW
---------	--------

- Elevación / Hoisting / Heben / Levage / Sollevamento
- Elevación de pluma / Luffing / Ausleger-Einziehen / Relevance / Brandeggio
- Orientación / Slewing / Schwenken / Orientation / Rotazione
- Traslación / Travelling / Schienenfahren / Translation / Traslazione
- Cable / Rope / Seil / Câble / Fune










FEM 1001 / FEM 1004-C25 / EN 14439 - Mástil / Masts / Maste / Mat / Torre / Torre /
Комплектация башни


























Proceso de trepado - Climbing - Kletterkrane - Telescopable - Sopralzo idraulico - Процесс наращивания крана



Dimensiones y transporte - dimensions and transport - Abmessungen und Transport - dimensions et des transports - dimensioni e trasporti - Размеры и транспорта






	L(m)	W(m)	H(m)	Peso(Kg)
Pluma tramo primero / Jib heel section / Ausleger-Anlenkstück / Pied de fleche / Settore articolato di braccio / Корневая секция стрелы 	10.4	1.77	1.76	2260
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы Nº 2 	10.37	1.72	1.76	1325
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы Nº 3 	10.37	1.72	1.76	1210
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы Nº 4 	10.37	1.72	1.76	1045
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы Nº 5 	10.37	1.72	1.76	1080
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы Nº 6 	5.27	1.72	1.76	600
Elemento final de pluma / Intermediate jib section / Ausleger-Zwischenstück / Élément interm. de fleche / Spezzone di braccio / Промежуточная секция стрелы 	5.31	1.72	1.76	825
Contrapluma / Counter-jib / Gegenausleger / Contre-fleche / Controbraccio / Консоль противовеса 	6.55	2.10	2.00	6135
Unidad de rotacion / Complete slewing unit / Drehbühne / Orientation / Rotazione / Оголовок башни 	4.60	4.84	3.34	13500

	L(m)	W(m)	H(m)	Peso(Kg)	
<p>Cabina y soporte / Cabin and platform / Kabine und wartungs / Cabine et support / Cabina e supporto / Кабина с основой</p> 	4.59	1.82	2.32	1835	
<p>Caballete de pluma / Jib gantry / Auslegerabspannbock / Chevalet de haubange de flèche/ Tirante braccio / портал стрелы</p>  	1.24	1.92	2.02	5500	
<p>Equipo de elevacion / Hoist winch / Heben / Levage / Sollevamento / подъёмник</p> 	2.4	2.2	2.4	3250	
<p>Equipo de Pluma abatible / Luffing winch / Einziehwerk / Relevage / Brandeggio / Стрелоподъемный механизм</p> 	2.72	2.04	2.28	3500	
<p>Gancho Inferior / Lower Hook / Den unteren Haken / Crochet inférieure/ Gancio inferiore / Нижний крюк</p> 	1.23	0.48	1.19	425	
<p>Gancho Superior / Upper Hook / Oberen Haken / Crochet supérieur / Gancio superiore/ Верхний крюк</p> 	0.60	0.17	0.86	238	
<p>Elemento de torre S23 / Tower section S23 / Turmstück S23 / Elément de mât S23 / Elemento di torre S23 / Башенные секции</p> 	T 6 U 6	6	2.27 2.31	2.29 2.34	4650 6198
<p>Elemento de empotre / Foundation anchor / Fundamentanker / Pieds de scellement / El annegare / Анкерные крепления</p> 	S75R16/22 S75R16/26 DIMA	0.5 0.5 2.31	0.5 0.5 2.34	2 2.4 0.8	2840 3160 1650

	L(m)	W(m)	H(m)	Peso(Kg)	
Base C60T / Crossbase C60T / Fundamentkreuz C60T / Châsis C60T / Carro base C60T					
	9	0.72	0.83	2604	
	4.38	0.67	0.83	930	
	5.38	0.28	0.28	560	
	6	2.27	2.29	5900	
	0.65	0.65	0.45	315	
Bloque lastre de base C60T / Base ballast block / Grundballastblöcke / Bloc de lest de base Blocco di zavorra alla base / Плиты балласта опорной рамы					
	A	5.8	1.5	0.43	8000
	B	4	1.5	0.43	4900
	C	3.5	1.5	0.43	4200
Base C80T / Crossbase C80T / Fundamentkreuz C80T / Châsis C80T / Carro base C80T					
	5.9	1.8	2.5	2980	
	5.24	1.8	2.5	2590	
	5.9	0.27	0.29	972	
	3.17	0.11	0.29	116	
Bloque lastre de base C80T / Base ballast block / Grundballastblöcke / Bloc de lest de base Blocco di zavorra alla base / Плиты балласта опорной рамы					
	1.94	2	0.35	3000	
Traslacion / Travelling bogies / Kranfahren / Traslation / Traslazione					
	2.94	1.25	0.97	3102	



SL 240

	L(m)	W(m)	H(m)	Peso(Kg)	
Marco trepado externo / Tie-frame / Cadre d'encrage externe / Sopralzo con ancoraggio esterno / ВНЕШНЯЯ РАМКА ПРИСТЕЖКИ 	3.52	3.49	0.42	3900	
Jaula de telescopaje tipo S23 / Climbing cage type S23 / Hydraulikbühne Cage de telescopage type S23 / Gabbia di montaggio S23 / Монтажная обойма Completa / Full / Vollständige/Complete / completa / полный 	11.6	3.2	3.3	13500	
Estructura / Steel frame / Struktur/ Construction / Struttura / структура Hidraulico y accesorios / Hydraulic and accessories/ Hydraulik-und Zubehör hydraulique et accessoires / idrauliche ed accessori / Гидравлические и аксессуары				9550 3950	
Marco trepado interno S23 / Floor climbing frame/Cadre d'encrage interne /Sopralzo interno ВНУТРЕННЯЯ РАМКА ПРИСТЕЖКИ 	3.2	2.8	0.6	4720	
Hidraulico y accesorios / Hydraulic and accessories/ Hydraulik-und Zubehör hydraulique et accessoires / idrauliche ed accessori / Гидравлические и аксессуары				3081	
Tramo trep. A S23 / Tower section A S23 / Turmstück A S23 / Elément de mât A S23 / Elemento di torre a S23 / Башенные секции 	A	6	2.27	2.29	4854
Tramo trep. B S23 / Tower section B S23 / Turmstück B S23 / Elément de mât B S23 / Elemento di torre B S23 / Башенные секции 	B	6	2.27	2.29	4850



40" HC x 9 - HBG 30 mt



x 8 - HBG 30 mt

SPECIFICATIONS SUBJECT TO MODIFICATION WITHOUT NOTICE.

THIS INFORMATION IS SUPPLIED WITHOUT LIABILITY.

MANUFACTURER:

GRUAS SÁEZ, S.L.
 Ctra. de Beniján, Km. 5
 30570 Beniján (Murcia) Spain
 Tel. (+34) 968 10 28 84
 Mob. (+34) 663 369 458
 info@gruassaez.com
 sales@gruassaez.com
 www.gruassaez.com

